



Peterbilt of Council Bluffs S272
2546 29th Ave

Alexis Fire Equipment Company
109 East Broadway

Council Bluffs, Iowa United States 51501
Phone: (712) 325-9700
Fax: (712) 325-9800
Email: pholz@pbtruck.com

Alexis, Illinois United States 61412
Phone: (800) 322-2284
Fax: (309) 482-6127
Contact Email:
Prepared for: Dirk Jordan

Vehicle Summary

	Unit		Chassis	
Model:	Model 340	Fr Axle Load (lbs):		12000
Type:	Full Truck	Rr Axle Load (lbs):		26000
Description:	26K GVW spec	G.C.W. (lbs):		38000
	Application	Road Conditions:		
Intended Serv.:	Fire Engine - Pumper	Class A (Highway)		100
Commodity:	Other Commodity	Class B (Hwy/Mtn)		00
	Body	Class C (Off-Hwy)		00
Type:	Fire Apparatus	Class D (Off-Road)		00
Length (ft):	20	Maximum Grade:		6
Height (ft):	13.5	Wheelbase (in):		216
Max Laden Weight (lbs):	1000	Fr Axle to BOC (in):		69.8
	Trailer	Cab to Axle (in):		146.2
No. of Trailer Axles:	0	Cab to EOF (in):		206.2
Type:				
Length (ft):	0			
Height (ft):	0.0			
Kingpin Inset (in):	0			
Corner Radius (in):	0			
	Restrictions			
Length (ft):	40			
Width (in):	102			
Height (ft):	13.5			

Special Req.

Approved by: _____ Date: _____

Note: All sales are F.O.B. designated plant of manufacture.

PACCAR FINANCIAL	Ask your dealer for a quote today, or visit our website @ www.paccarfinancial.com .
	PACCAR Financial offers innovative finance, lease and insurance programs customized to meet your needs.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	2/7/2007 12:19:40 PM	Complete	Model Number:	Model 340
Effective Date:	Jan 1, 2007		Quote/DTPO/CO:	Q51927005
Prepared by:	Patrick Holz		Version Number:	15.30



Peterbilt of Council Bluffs S272
2546 29th Ave

Alexis Fire Equipment Company
109 East Broadway

Council Bluffs, Iowa United States 51501
Phone: (712) 325-9700
Fax: (712) 325-9800
Email: pholz@pbtruck.com

Alexis, Illinois United States 61412
Phone: (800) 322-2284
Fax: (309) 482-6127
Contact Email:
Prepared for: Dirk Jordan

	Description	Weight
Base Model		
	Model 340	9,621
Frame & Equipment		
	10-5/8in Steel Rails, Steel Xmbrs, 278-326in	356
	Custom Wheelbase or Overhang <i>Engineering approval may be required.</i>	0
	Three-Piece Crossmembers <i>(Formerly called heavy duty crossmembers)</i>	0
	Huck Bolt All Accessible Frame Components <i>Except EOF crossmember.</i>	0
	EOF Square without Xmbr <i>For use with body builder installed crossmember.</i>	0
	Omit Rear Mudflaps and Hangers	0
	Peterbilt Front Wheel Mudflaps	0
Front Axle & Equipment		
	Dana Spicer E1202I 12,000 lb <i>Dana Spicer ES cam brakes, 11-1/4in bolt circle.</i>	22
	Taper Leaf Springs with Shocks 12,000 lbs <i>Use with 12,000 lb front axles.</i>	0
	Power Steering TRW TAS65	0
	Power Steering Reservoir Frame Mounted <i>For use with 8,000 lb to 14,600 lb front axles.</i>	0
	PHP10 Alum LMS Hubs, Cast Drums, 16.5x5 Brakes <i>10,000 lb to 12,000 lb front axles. Includes Dana Spicer EES420 brake linings, non-asbestos.</i>	0
	Chicago Rawhide Scotseal Plus XL Oil Seals	0
	Haldex/Dana Auto Slack Adjusters	0
Rear Axle & Equipment		
	Dana Spicer S26-190, 26,000 lb	331
	PHP10 Iron Hubs, Cast Drums, 16.5x7 Cam Brakes <i>26,000 lb maximum, single axle, Dana Spicer ES brakes.</i>	0
	MGM TR-T 3036in Parking Brakes, Single Axle	15
	Haldex/Dana Auto Slack Adjusters, Single Axle	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	2/7/2007 12:19:40 PM	Complete	Model Number:	Model 340
Effective Date:	Jan 1, 2007		Quote/DTPO/CO:	Q51927005
Prepared by:	Patrick Holz		Version Number:	15.30



Description	Weight
Standard Oil Seals, Single Axle (up to 26,000 lbs) For use with non-LMS hubs only.	0
Bendix 4S4M ABS, SBM Valve ABS-6	0
Synthetic Axle Lubricant, All Axles	0
Ratio 5.38 Rear Axle	0
Reyco 79KB Multi Leaf 26,000 Lb	154

Engine & Engine Equipment

PACCAR PX-8 330/2200 330@2000 1000@1300 Includes alum flywheel housing. N20300 P029 No....Idle Shutdown Enable N20320 P015 No....Engine Protection Shutdown N20380 P001 68....Max Speed in Top Gear N20400 P059 68....Maximum Cruise Speed N20440 P030 5.....Idle Shutdown Timer	0
Engine Harness with J1939 Provision	0
270 Amp Alternator - Standard Brush	20
PACCAR 12V Starter Includes 3 year/350,000 mile warranty for Class 8 On-Highway applications, 1 year/100,000 mile warranty for Medium Duty On-Highway applications, or 1 year/50,000 mile warranty for Off-Highway applications.	0
3 PACCAR Premium 12V Dual Purpose Batt 2100 CCA Threaded Stud Type Terminal	62
18.7 CFM Air Compressor (Furnished on Engine)	0
VGT Exhaust Brake (2007 Engines) (Variable Geometry Turbo). Provides approximately 90-100 HP of retardation and is part of the turbocharger.	0
Spin-on Fuel Filter Frame Mounted	0
High Efficiency Cooling System Effective January 1, 2007 includes silicone radiator hoses and extended life coolant.	0
Dnldsn Radial Seal/Dry Type Air Cleaner w/Frontal Air Intake	0
Horizontal exhaust	0

Transmission & Clutch

Allison 3000 EVS-P Emergency Vehicle Service Fire and Emergency Applications. Includes rear transmission support and automatic transmission fluid.	165
1710 HD Driveline With Two Midship Bearings	134
Allison EVS 4th Gear Lockup `J` Fire Truck Pumper	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	2/7/2007 12:19:40 PM	Complete	Model Number:	Model 340
Effective Date:	Jan 1, 2007		Quote/DTPO/CO:	Q51927005
Prepared by:	Patrick Holz		Version Number:	15.30



	Description	Weight
	Allison 5-Speed Configuration - Close Ratio Gears Allison 3000 Trans only	0
Air & Trailer Equipment		
	Bendix AD-IP Air Dryer with Heater Includes Single-Bolt Dessicant Cartridge and wet Air Tank.	40
	Rapid Air Pressure Build-Up System for Fire/ Emergency/Rescue Vehicles only	7
	Nylon Chassis Hose	0
	Steel Painted Air Tanks	0
	Polished Alum Air Tanks Outside Frame Rails	0
	Clear Outside Frame of All Air System Components LH BOC	0
	Clear Outside Frame of All Air System Components RH BOC	0
	Body Connections 5ft BOC Junction Box contains light and power circuits for Body Connections located 5ft from BOC.	4
Tires & Wheels		
	FF: BR 14ply 11R22.5 R250F	7
	RR: BR 16ply 12R22.5 M843	128
	Code-rear Tire Qty 04	0
	FF: Peterbilt 886660 Plt 22.5x8.25 Alm Whl Pilot Mount	-55
	RR: Accur 28408 Stl Inner/Pbilt 886660 Outer Alm Whl - 22.5x8.25 Pilot Mount	-58
	Code-rear Rim Qty 04	0
	FF: Polished Wheels w/o Chrome Wheel Nuts	0
	RR: Polished Inside of Outer Wheels - Single w/o Chrome Wheel Nuts (For use with up to and including 22.5x9.00 wheel)	0
Fuel Tanks		
	26in Aluminum 60 Gallon Fuel Tank RH U/C	-99
	Location RH U/C 60 Gallon	0
	(1) Non-Slip Fuel Tank Step RH U/C	0
	Polish (2) Fuel Tank Straps	0
	Polish (1) Aluminum Fuel Tank	0
Battery Box & Bumper		
	Alum Battery Box w/Non-slip Step LH Under Cab	-55

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	2/7/2007 12:19:40 PM	Complete	Model Number:	Model 340
Effective Date:	Jan 1, 2007		Quote/DTPO/CO:	Q51927005
Prepared by:	Patrick Holz		Version Number:	15.30



Description	Weight
Steel Styled Aero Bumper Chrome with Center Tow Hook	0
Cab & Equipment	
Alum Cab 108in BBC Metton Hood w/Bright Crown	0
UltraRide HighBack Vinyl Air Driver Seat	-13
UltraRide HighBack Vinyl Passenger Seat Non-Air Includes storage compartment under seat.	75
Red Seat Belts	0
18in (4) Spoke Foam Steering Wheel-Soft Touch	0
Vantage Interior Grey/Black	0
Includes vinyl padded headliner and back panels, doors with rubber insert, (2) inside entry grab handles, contoured armrests, vermilion burlwood dash, two inside sunvisors, two coat hooks, rubber floor mats, cup holder with 12-volt power outlet, and 2-way domelight.	
Day Cab Rear Window	0
View Window in RH Door	0
Combo Fresh Air Heater/Air Conditioner	0
with radiator mounted condenser, dedicated side window defrosters (not Models 320, 330, 335, or 340), Bi-Level Heater/Defroster Controls, 54,500 BTU/HR, and effective January 1, 2007 includes silicone heater hoses.	
Outside Sunvisor Stainless Steel	4
Stainless Steel Mirrors 7x16 with Heat Element Prutsmann MDP716S	0
Convex Mirror Over RH Door	0
(2) Convex 8 Inch SS Mirror Center mounted under mirror bracket.	2
Panasonic AM/FM/Weatherband with (2) Speakers	11
7.5 Watts, electronic tuning, 18 station presets, auto-preset scan, seek tuning, tone control, balance control and fader, quartz clock, LED lighting.	
Peterbilt Electric Windshield Wipers with Intermittent Feature	0
Cigar Lighter and Ashtray	0
5 Lb 3a:40bc Fire Extinguisher Mounted behind driver seat.	9
Triangle Reflector Kit Shipped Loose	13
Oil Temp Gauge Trans - Main Allison Transmission	0
Instrument Package B	2
Includes electric speedometer w/trip odometer, tachometer w/integral hourmeter, voltmeter, dual air pressure, engine oil pressure, water temperature, transmission temperature, air filter restriction, and fuel level gauge.	

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	2/7/2007 12:19:40 PM	Complete	Model Number:	Model 340
Effective Date:	Jan 1, 2007		Quote/DTPO/CO:	Q51927005
Prepared by:	Patrick Holz		Version Number:	15.30



Description	Weight
Standard Warning Light Package Includes high water temperature, low oil pressure, and low air pressure warning lights w/buzzers, high beam and turn signal indicators, and parking brake warning light. Interaxle differential lockout warning light without buzzer (not included in the Medium Duty model). Inlet air heater and alternator charging system warning lights without buzzers (only included in the Medium Duty model).	0
Bright Bezel Gauges ipo Black	0
Headlights Composite Fender Mounted w/Integral Park, Turn, and Side Marker.	0
Marker Lights (5)	0
Paint	
Paint Color Selection within Paint Deck	0
(1) Color Dupont Two Stage - Cab/Hood Base Coat/Clear Coat N85020 1 - L3781EB VIPER RED N85200 FRAME N0001EA BLACK N85300 WHEEL ALUM	0
Shipping Destination	
Shipping Destination (Specify by narrative) N8990 Alexis Fire Equipment N8991 109 East Broadway N8992 Alexis, IL 61412 N8993 Dirk Jordan 800-322-2284	0
Miscellaneous	0
Total Weight	10902#

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	2/7/2007 12:19:40 PM	Complete	Model Number:	Model 340
Effective Date:	Jan 1, 2007		Quote/DTPO/CO:	Q51927005
Prepared by:	Patrick Holz		Version Number:	15.30